

## 50X50X10 mm

## KF0510-01 Series



- **Frame** : Plastic Material UL 94V-0
- **Impeller** : Plastic Material UL 94V-0
- **Speed Range** :  $\pm 10\%$

SPECIFICATIONS											
Model	Bearing	Rated Voltage (V)	Operating Voltage (V)	Air Flow (CFM)	Static Pressure (inchH <sub>2</sub> O)	Speed (R.P.M.)	Input Current (Amp)	Input Power (Watt)	Nominal Power (Watt)	Noise (dBA)	Weight (g)
KF0510B5H-01	Dual Ball	5	4.25~5.75	13.04	0.138	5200	0.22	1.10	1.1	29.0	17
KF0510B5M-01				11.23	0.108	4500	0.14	0.70	0.9	26.2	
KF0510B5L-01				8.72	0.068	3500	0.09	0.45	0.6	21.2	
KF0510-5H-01	S, H			13.04	0.138	5200	0.23	1.15	1.1	29.0	
KF0510-5M-01				11.23	0.108	4500	0.15	0.75	1.1	26.2	
KF0510-5L-01				8.72	0.068	3500	0.10	0.50	0.7	21.2	
KF0510B1H-01	Dual Ball	12	10.2~13.8	13.04	0.138	5200	0.11	1.32	1.6	29.0	
KF0510B1M-01				11.23	0.108	4500	0.07	0.84	0.8	26.2	
KF0510B1L-01				8.72	0.068	3500	0.05	0.60	0.7	21.2	
KF0510-1H-01	S, H			13.04	0.138	5200	0.12	1.44	1.9	29.0	
KF0510-1M-01				11.23	0.108	4500	0.09	1.08	1.0	26.2	
KF0510-1L-01				8.72	0.068	3500	0.06	0.72	0.8	21.2	
KF0510B2H-01	Dual Ball	24	20.4~27.6	13.04	0.138	5200	0.06	1.44	1.7	29.0	
KF0510B2M-01				11.23	0.108	4500	0.05	1.20	1.5	26.2	
KF0510B2L-01				8.72	0.068	3500	0.04	0.96	1.3	21.2	
KF0510-2H-01	S, H			13.04	0.138	5200	0.07	1.68	1.7	29.0	
KF0510-2M-01				11.23	0.108	4500	0.06	1.44	1.5	26.2	
KF0510-2L-01				8.72	0.068	3500	0.05	1.20	1.3	21.2	

Specifications subject to change without notice

The 7<sup>TH</sup> character of Model No means the bearing code. Please refer to the page "PART NUMBER SYSTEM". Please contact us for detail if your request bearing system is not shown in the above list.

